

00862.022178

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	Examiner: Angela A. Armstrong
	:	
YASUO OKUTANI ET AL.)	Group Art Unit: 2626
	:	
Application No.: 09/819,613)	U.S. Patent No.: 7,054,814 B2
	:	
Filed: March 29, 2001)	Issued: May 30, 2006
	:	
For: METHOD AND APPARATUS OF)	
SELECTING SEGMENTS FOR SPEECH	:	
SYNTHESIS BY WAY OF SPEECH)	
SEGMENT RECOGNITION	:	December 12, 2006

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

ATTENTION: CERTIFICATES OF CORRECTION BRANCH

CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323


Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

Patentees' undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Jack S. Cubert", written over a horizontal line.

Jack S. Cubert
Attorney for Patentees
Registration No. 24,245

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200
DWP/klm

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,054,814 B2

DATED : May 30, 2006

INVENTOR(S) : YASUO OKUTANI ET AL.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE COVER PAGE

(Item 56), **U.S. PATENT DOCUMENTS**, insert --6,662,159 12/2003 Komori et al.--

(Item 56), **OTHER PUBLICATIONS**, "Nakagawa et al." should read --Nakazawa et al.--

COLUMN 4

Line 31, "408" should read --unit 408--.

Line 32, "406" should read --206--.

COLUMN 5

Line 8, "506." should read --206.--.

Line 12, "S206," should read --S506,--.

COLUMN 6

Line 4, "HMIM" should read --HMM--.

COLUMN 7

Line 36, "HIMMs" should read --HMMs--.

Staple
Here
Only!

PRINTER'S TRIM LINE

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,054,814 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

(Form#30) DWP/klm DC_MAIN 260182v1

